
Monoflo is North America's leading supplier of intralogisitics trays for automated storage solutions.



Decades of Expertise

With decades of experience partnering with system integrators, we will provide the right solution for every automated storage system.

Monoflo reusable trays and containers are specifically designed, developed and approved for the diverse requirements of automated storage and retrieval systems. We have experience working with many system integrators and a variety of AS/RS platforms. Monoflo's customers move products in all industries, including:

- \cdot Food
- · Retail
- · Flectronics
- · e-Commerce
- · Downstream Distribution

We offer a broad range of standard containers and trays but can also develop a customized solution. Our customers benefit from our knowledge and expertise.

Engineered to Perform

Monoflo trays are engineered to run smoothly in your intralogistics project. No matter the environment, our containers are made to perform—frequent washing requirements, cold chain systems, extreme ambient temperature changes.

Based on your specific application, we offer our trays in various materials such as Polypropylene (PP), High-Density Polyethylene (HDPE), and Polypropylene-Electrostatic Discharge (PP-ESD).

Options to Fit Solutions

Every Monoflo tray is engineered to be durable. We've designed additional structural integrity into all our trays to ensure your logistical processes run smoothly for the long haul.

Additionally, Monoflo offers tray options for the style of system you choose, including Pin Up or Lift & Sweep systems, which may require optional lifter plates. Whatever you have planned, our solutions will meet the exact needs of your decanting application.

Tracking & Verification

Knowing what is where is critical to a smooth running system. Monoflo offers a broad range of tagging and labeling options enabling successful identification and tracking of products throughout your operation.


As a feature of our manufacturing process, we can apply adhesive bar codes labels directly to your trays. We also offer more permanent solutions like in-mold labeling and RFID (radio frequency identification) tagging. Based on your requirements, you can decide how to identify, track and verify the trays—and corresponding products—within your automated system.

Keep your goods flowing 24/7 with Monoflo trays.



Designed for Lift & Sweep Motion Systems

ASRS 6040 Series






| | Outside Dimensions (mm) | | | | Dimension | s (mm) | Weight (g) | Pallet Size | Pallet Qtv | Trailer Qty |
|-----------------------|-------------------------|-------|--------|--------|-----------|--------|------------|-------------|------------|-------------|
| Model | Length | Width | Height | Length | Width | Height | weight (g) | (In) | Pallet Qty | Trailer Qty |
| ASRS6040-79 | 600.0 | 400.0 | 79.5 | 572.0 | 372.0 | 66.5 | 1,200 | 48x40 | 185 | 5,550 |
| ASRS6040-120 9-PIN | 600.0 | 400.0 | 120.0 | 565.0 | 365.0 | 108.0 | 1,641 | 48x40 | 115 | 3,450 |
| ASRS6040-150 9-PIN | 600.0 | 400.0 | 150.0 | 565.0 | 365.0 | 138.0 | 1,791 | 48x40 | 90 | 2,340 |
| ASRS6040-180 9-PIN | 600.0 | 400.0 | 180.0 | 565.0 | 365.0 | 168.0 | 1,970 | 48x40 | 75 | 1,950 |
| ASRS6040 Lifter Plate | 570.0 | 370.0 | 12.0 | N/A | N/A | N/A | 825 | * | * | * |

^{*}Lifter plates are packed and shipped inside the corresponding tray

ASRS 6545 Series







| | Outside Dimensions (mm) | | | | | s (mm) | Weight (g) | Pallet Size | Pallet Qtv | Trailer Qty |
|--------------------------|-------------------------|-------|--------|--------|-------|--------|------------|-------------|------------|-------------|
| Model | Length | Width | Height | Length | Width | Height | weight (g) | (In) | railet Qty | ITallel Qty |
| ASRS6545-79 | 650.0 | 450.0 | 79.5 | 622.0 | 422.0 | 66.5 | 1,450 | 53X43 | 185 | 4,810 |
| ASRS6545-79 Lifter Plate | 620.0 | 420.0 | 12.0 | N/A | N/A | N/A | 950 | * | * | * |

^{*}Lifter plates are packed and shipped inside the corresponding tray

MONOFLO SOLUTIONS

Lifting versus Lift & Sweep

Monoflo designs and manufactures trays that meet each application. Monoflo understands how loads are transferred from a tray and has developed the lifter plate as an alternative method to remove products from trays. Instead of using a Pin Up style of lift and transfer, a lifter plate allows the entire load to be lifted and then pushed off of the tray.



Designed for Pin Up Lifting Systems

ASRS 3550 Series





| | Outside | Dimension | ns (mm) | Inside | Dimension | s (mm) | \\\a:\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\ | Pallet Size (In) | Pallet Qtv | Trailer Qty |
|-------------|---------|-----------|---------|--------|-----------|--------|--|---------------------|------------|-------------|
| Model | Length | Width | Height | Length | Width | Height | Weight (g) | | Pallet Qty | Trailer Qty |
| ASRS3550-49 | 350.0 | 500.0 | 49.0 | 349.0 | 499.0 | 24.5 | 832 | 42x53 | 664 | 17,264 |

ASRS 3555 Series

| | Outside | Dimension | ns (mm) | Inside | Dimension | s (mm) | Woight (g) | Pallet Size (In) | Pallet Qtv | Trailer Qty |
|-------------|---------|-----------|---------|--------|-----------|--------|------------|---------------------|------------|-------------|
| Model | Length | Width | Height | Length | Width | Height | Weight (g) | | Fallet Qty | Haller Qty |
| ASRS3555-49 | 350.0 | 550.0 | 48.0 | 332.0 | 532.0 | 24.5 | 875 | 42x53 | 650 | 16,380 |

ASRS 5070 Series

| | Outside | Dimension | ns (mm) | Inside | Dimension | s (mm) | Weight (g) | Pallet Size (In) | Pallet Qty | Trailer Qty |
|-------------|---------|-----------|---------|--------|-----------|--------|------------|---------------------|------------|-------------|
| Model | Length | Width | Height | Length | Width | Height | | | Pallet Qty | Trailer Qty |
| ASRS5070-49 | 499.0 | 699.0 | 48.0 | 481.0 | 681.0 | 24.5 | 1,675 | 48x40 | 249 | 6,474 |

ASRS 5570 Series

| | Outside Length 550.0 | Dimension | ns (mm) | Inside | Dimension | s (mm) | Weight (g) | Pallet Size (In) | Pallet Qtv | Trailer Qty |
|-------------|----------------------------|-----------|---------|--------|-----------|--------|------------|---------------------|------------|-------------|
| Model | Length | Width | Height | Length | Width | Height | | | Pallet Qty | Trailer Qty |
| ASRS5570-49 | 550.0 | 700.0 | 48.0 | 532.0 | 682.0 | 24.5 | 1736 | 48x40 | 350 | 9,020 |

MONOFLO SOLUTIONS

Use of In-mold Labeling (IML)

Cold storage applications place an added burden on any post-production adhesive label; condensation. Monoflo teamed with leading global label manufactures to source a label that could withstand the rigors of injection molding as well as the cold storage environment and created a process to mold each tray with the label inside of the mold during production, thus making a label that is impervious and durable for these difficult applications.



Trays for Automated Storage Solutions | 6343, 6747 & 8060 Footprints

ASRS 6343 Series




| | Outside | Dimension | ns (mm) | Inside | Dimension | s (mm) | Woight (g) | Pallet Size (In) | Pallet Qtv | Trailer Qty |
|---------------|---------|-----------|---------|--------|-----------|--------|------------|---------------------|------------|-------------|
| Model | Length | Width | Height | Length | Width | Height | Weight (g) | | Pallet Qty | Trailer Qty |
| ASRS6343-79 W | 628.0 | 428.0 | 81.0 | 593.0 | 393.0 | 64.8 | 1,900 | 51.5x49.5 | 210 | 5,040 |

ASRS 6747 Series



| | | Outside | Dimension | ıs (mm) | Inside | Inside Dimensions (mm) | | | Pallet Size | Pallet Qty | Trailer Qty |
|---|--------------|---------|-----------|---------|--------|------------------------|--------|------------|-------------|------------|-------------|
| | Model | Length | Width | Height | Length | Width | Height | Weight (g) | (In) | Fallet Qty | naller Qty |
| A | SRS6747-80 H | 670.0 | 470.0 | 80.0 | 644.0 | 444.0 | 60.0 | 1,698 | 48X45 | 152 | 3,952 |

ASRS 8060 Series





| | Outside Dimensions (mm) | | | | Dimension | s (mm) | Weight (g) | Pallet Size | Pallet Qtv | Trailer Qty |
|--------------------------|-------------------------|-------|--------|--------|-----------|--------|------------|-------------|------------|-------------|
| Model | Length | Width | Height | Length | Width | Height | Weight (g) | (In) | Pallet Qty | Trailer Qty |
| ASRS8060-80 | 798.0 | 598.0 | 80.0 | 757.0 | 557.0 | 64.0 | 2,432 | 48X32 | 72 | 2,808 |
| ASRS8060-80 Lifter Plate | 751.0 | 550.0 | 12.0 | N/A | N/A | N/A | 1,558 | * | * | * |

^{*}Lifter plates are packed and shipped inside the corresponding tray

MONOFLO SOLUTIONS

Customization when Necessary

When a major clothing retailer fulfillment center was being designed, it was quickly determined that a custom tray was going to be needed... Monoflo work collaboratively to develop the new custom sized 670x470mm footprint tray with lifter plate for this customer's specific application.

